INDEX TO VOLUME 42

(Prepared by the Index Committee)

New names in *italic* type

Abbott, Herschel G. and William H. Belig:
Juniper seed: a winter food of red squirrels in Massachusetts, 240
Abbott, H. G. and M. A. Parsons:
Cuterebra infestation in Peromyscus, 383
abietorum, see Napaeozapus
Abnormality in:
Eschrichtius, 419
Megaptera, 419
Mephitis, 422
Odocoileus, 551
Sibbaldus, 419
Sorex, 527
Abundance, Eumetopias, 223
Activity rhythm:
Geomys, 542
Thomomys, 541
Aëllo megalophylla, flight, 153
aethiops, see Cercopithecus
Age of:
Phenacomys, 44
Tadarida, 533
agrarius, see Apodemus
agrestis, see Microtus
Alabama:
Erethizon, 544, 545
Martes, 544
Sylvilagus, 254
alacer, see Sylvilagus
Alaska:
Eschrichtius, 108
Eumetopias, 218, 223
Lemmus, 493
Martes, 112
Odocoileus, 522
Ziphius, 75
albescens, see Myotis
albibarbus, see Sorex
Albinism in:
Sorex, 96
Sylvilagus, 541
Taxidea, 275
albipes, see Phenacomys
Aleutian Islands, Callorhinus, 549
algonquinensis, see Napaeozapus
alleni, see Lepus
alleghaniensis, see Plecotus
American Society of Mammalogists:
Annual business meeting, 578
Board of Directors meeting, 577
Forty-first annual meeting, 574
Resolutions presented, 579
americana, see Antilocapra, Martes
americanus, see Lepus, Oreamnos, Ursus
amphibius, see Hippopotamus
amplus, see Peromyscus
Anatomy of:
bats, 152
Hemiechinus, 398
Microtus, 102
Paraechinus, 365, 398
Peromyscus, 103
Urocyon, 109
Ziphius, 75
Anderson, Sydney:
A new method of preparing lagomorph skins, 409
Angora pelage, Sylvilagus, 255
annandalei, see Rattus
Anoura geoffroyi, Mex., 537
Antelope, 557
Antilocapra, 116
americana, 513, 514, 557
Antrozous, Ariz., 64, 69
pallidus, 97, Ariz., 64, flight, 153, N. Mex., 538, stom. cont., 66
Aplodontia rufa, Calif., reingestion, 411, 557
Apodemus agrarius, distr., Thrace, 105
sylvaticus, reprod., 33, 36
Apparatus for:
carrying and dispensing bait, 283
measuring behavior, 159
aquaticus, see Scalopus, Sylvilagus
araneus, see Sorex
Archaeological sites:
Erethizon, 544
Martes, 544
archeri, see Pseudocheirus
arcticus, see Rangifer
Arctocephalus, 114
argentatus, see Myotis
aridulus, see Peromyscus
Arizona:
Antrozous, 64, 69

big-eared bat, 61
capybara, 572
Choeronycteris, 64, 404
Conepatus, 421
Dasypterus, 97
Eptesicus, 64
Eumops, 66
Idionycteris, 61
Lasiurus, 64
Leptonycteris, 404
local list, 116
Macrotus, 404
mammoth, 572
Mormoops, 404
Myotis, 64, 404
Pecari, 425
Pipistrellus, 64
Plecotus, 61, 97, 402, 538
Sorex, 96
Tadarida, 64, 67
arizonensis, see Bassariscus
Armadillo, 236, 283
armatus, see Citellus
armbrusteri, see Canis
Armitage, Kenneth B.:
Frequency of melanism in the golden-mantled marmot, 100
Curiosity behavior in some mustelids, 276
Artibeus cinereus, Mex., 537
cinereus aztecus, distr., Mex., 536
hirsutus, Mex., 537
jamaicensis, Mex., 537
turpis, Mex., 537
turpis nanus, distr., Mex., 536
arvalis, see Microtus
Arvicola terrestris, distr., Thrace, 105
astutus, see Bassariscus
Athabasca, Bison, 553
athabascae, see Bison
attwateri, see Neotoma, Peromyscus
auduboni, see Ovis, Sylvilagus
auratus, see Mesocricetus
auritus, see Hemiechinus
Australia, Zalophus, Upper Pliocene, 548
austroriparius, see Myotis
aztecus, see Artibeus

bachmani, see Sylvilagus
Backus, Richard H.:
Stranded killer whale in the Bahamas, 418
Badger, 275, 276, 423, Colo., N. Mex., Wyo., 510, 515
Bahamas, Orcinus, 418
Baiomys, voice, 263
bairdi, see Peromyscus
Bait, method of carrying, 283
Balaena mysticetus, swimming, 419
Balantiopteryx plicata, distr., Mex., 536
Baldwin, D. H.:
(see Downing, S. C.)
Balph, David F.:
Underground concealment as a method of predation, 423
Banfield, A. W. F.:
The wood bison type specimen, 553
Barkalow, Frederick S., Jr.:
A large cottontail litter, 254
The porcupine and fisher in Alabama archaeological sites, 544
Bassariscus, 116
astutus arizonensis, Wyo., 275
astutus flavus, 275
astutus nevadensis, 275
Bat:
big-eared, 61
big free-tailed, 253
common vampire, 449
free-tailed, 154, 405
funnel-eared, 403
gray, 98
hoary, 540
Keen, 400
Mexican free-tailed, 282
mouse-eared, 372
red, 98, 540
silver-haired, 282, 540
spotted, 401
yellow, 530
Bat cave, W. Va., 530
Bats, 560
food habits, 66
Bear, 560
black, 112, 198, 427
cinnamon, 254
grizzly, 557
sun, 427
Beaver, 93, 560
mountain, 557
beecheyi, see Citellus
Beer, James R.:

Hibernation in Perognathus flavescens, 103
Winter home ranges of the red-backed mouse and white-footed mouse, 174
(see Davis, Wayne H.)
Beer, James R. and Charles F. MacLeod:
Seasonal reproduction in the meadow vole, 483
Behavior:
Alces, 525
Boselaphus, 525
Canis, 109
Didelphis, 397
Enhydra, 271
Martes, 111, 112
Microtus, 37
Odocoileus, 522, 525
Sigmodon, 106
Spalax, 359
Vulpes, 109
Behavior, measurement of, 159
Bermuda:
Lasionycteris, 531
Lasiurus, 531
Belig, William H.:
(see Abbott, Herschel G.)
Bieri, Raymond A.:
(see Parmalee, Paul W.)
Birth:
Erinaceus, 398
Hemiechinus, 398
Paraechinus, 398
Bisexual nature, bats, 530
Bison, 94, 116, 553
Bison bison athabascae, Nev., 280, Athabasca, NW Terr., type, meas., 553
occidentalis, distr., Iowa, 94
Blarina brevicauda, Mich., pop., 25, reprod., 95, Minn., 177, Ohio, trapping, 497
brevicauda carolinensis, Okla., 235
brevicauda talpoides, Quebec, 281
blythi, see Myotis
Bobcat, 510, 515, 557
borealis, see Lasiurus, Synaptomys
Borell, Adrey E.:
Fox squirrel attacks mourning dove, 101
Borneo, Hylobates, 99
Boselaphus tragocamelus, behav., 525
bottae, see Thomomys
boylei, see Peromyscus
Brachyphyllum cavernarum, flight, 153
Bradshaw, Gordon VR:
New Arizona locality for the dwarf shrew, 96
Brandon, Ronald A.:
Observations of young Keen bats, 400
brasiliensis, see Sylvilagus, Tadarida
Breeding:
Dipodomys, 337, 413
Hemiechinus, 398
Microtus, 488
Paraechinus, 398
Breeding season:
Lagurus, 489
Peromyscus, 489
Reithrodontomys, 489
Thylacinus, 396
brevicauda, see Blarina
breviceps, see Kogia
brevirostris, see Mus
breweri, see Parascalops
British Columbia, Odocoileus, 522
Broadbooks, Harold E.:
California ground squirrel invades Washington, 257
The funnel-eared bat in Sonora, 403
Homing behavior of deer mice and pocket mice, 416
Brock, Elbert M.:
(see Howard, Walter E.)
Brown, L. N.:
Sorex longirostris in southwestern Missouri, 527
bruneri, see Erethizon
Buckner, Charles H.:
The pale big brown bat in Manitoba, 529
Buffalo, 557
bullatus, see Peromyscus
bunkeri, see Marmota
Burrows:
Spalax, 359
Taxidea, 423
vertebrates inhabiting, 171
bursarius, see Geomys
Burt, William H.:
A fauna from an Indian site near Redington, Arizona, 115
Butterworth, Bernard B.:
The breeding of Dipodomys deserti in the laboratory, 413

Cachalot, lesser, 269
cagottis, see Canis
Caldwell, David K.:

The harbor seal in South Carolina, 425
California:
Aplodontia, 411
Canis, 109, 505
Enhydra, 271
Eschrichtius, 108
Lagenorhynchus, 107
Lagurus, 489
Lasiurus, 67
Microtus, 37, 102
Odocoileus, 522
Peromyscus, 489
Rattus, 268
Reithrodontomys, 489
Sorex, 455
Taxidea, 275
Thomomys, 167, 258, 542
Vulpes, 109
californiana, see Zalophus
californicus, see Eumops, Lepus, Macrotus, Microtus, Myotis
Callorhinus ursinus, 218, 224, S of Aleutians, meas., 549
Camel, 560
camelopardalis, see Giraffa
Cameron, A. W.:
(see MacLeod, C. F.)
canadensis, see Castor, Cervus, Lutra, Ovis, Zapus
caneloensis, see Canis
Canis, 116
armbrusteri, Md., 507
caneloensis, 503
familiaris, Penn., 117
irvingtonensis, Calif., comp., 505
latrans, albino, 275, behav., Calif., 109, Colo., N. Mex., Wyo., 508, 510
latrans cagottis, 508
latrans clepticus, 508
latrans frustror, 508
latrans goldmani, 508
latrans *harriscrooki*, orig. desc., Tex., 505, dent., pl., 506, 507
latrans hondurensis, comp., 505
latrans imparvidus, 508
latrans lestes, 508
latrans mearnsi, 508
latrans microdon, 508, Mex., comp., 505, 507
latrans ochropus, 508
latrans texensis, 508
latrans thamnos, 508
lepophagus, 507
lupus, comp., 508
lupus lycaon, Ohio, 420
niger, comp., 508
orcutti, Wisc., 508
Captivity:
common vampire, 449
Dipodomys, 413
Giraffa, 427
Helarctos, 427
Hippopotamus, 427
Ursus, 427
Capybara, Ariz., fossil, 572
carolinensis, see Blarina, Sciurus
carruthersi, see Funisciurus
caryi, see Citellus
Casteel, David A.:
A white cottontail rabbit, 541
Castor, 116
canadensis, Penn., 117
canadensis missouriensis, distr., Nebr., 93
Catlett, Robert H. and Robert Z. Brown:
Unusual abundance of Peromyscus at Gothic, Colorado, 415
catodon, see Physeter
caurina, see Martes
cavernarum, see Brachyphyllum
cavifrons, see Symbos
cavirostris, see Ziphius
Cercopithecus aethiops, 152
Cervus canadensis, distr., Iowa, 94
elaphus, reprod., 124, behav., 525
Cetaceans, smaller:
data record forms, 472
standardized methods for measuring and recording data, 471
Cheetah, locomotion, 84
Chiasson, Robert B.:
A Pleistocene record of Zalophus from Mexico, 547
Chickaree, 313, 557
Chipmunk, 92, 256, 428
Chiroderma, Mex., 537
Choeronycteris mexicana, Ariz., 64, 404, flight, 153
Christian, John J.:
(see Snyder, Robert L.)
cinerea, see Neotoma
cinereoargenteus, see Urocyon
cinereus, see Artibeus, Hylobates, Lasiurus, Phascolarctos, Sorex

Citellus, 116, 513
armatus, 173, 423, as fd., 516, 517
beecheyi douglasi, Wash., 257
columbianus, 557
lateralis, Colo., 173, Wash., 258, as fd., 517
lateralis caryi, as fd., 516
parryi, 202
rexroadensis, distr., Kans., Okla., type, generic status, illus., 477
richardsoni, Colo., 173
spilosoma, Colo., 171
spilosoma marginatus, Okla., 237
townsendi, Wash., 258
tridecemlineatus, Colo., 173, 202
tridecemlineatus texensis, Okla., 237
clepticus, see Canis
Clethrionomys gapperi, Colo., 415, Man., 194, Mass., 263, Minn., winter range, 174, as fd., 240
gapperi hudsonicus, Quebec, 282
gapperi ochraceous, 265
rutilus, 183
Coahuila:
Erethizon, 545
Peromyscus, 9
Cockrum, E. Lendell:
Southern yellow bat from Arizona, 97
Colony of:
deer, 522
little brown bats, 529
Color:
Hylobates, 99
Pseudocheirus, 149
Colorado:
Canis, 510
Clethrionomys, 415
Eutamias, 415
Geomys, 412, 542
local list, 171
Lynx, 510
Martes, 111
Microtus, 415
Mephitis, 510
Peromyscus, 3, 415
Procyon, 510
Sciurus, 101
Sorex, 415
Tadarida, 404
Taxidea, 510
Vulpes, 510
Zapus, 415
columbianus, see Citellus, Odocoileus
comanche, see Peromyscus
Commissaris, Larry R.:
The Mexican big-eared bat in Arizona, 61
Committee on Marine Mammals:
Standardized methods for measuring and recording data on the smaller cetaceans, 471
concolor, see Felis, Phoca
Condylura cristata, hab., Mich., 42, 528, Quebec, 282, wgt., 529
Conepatus mesoleucus, Ariz., 421
connectens, see Sylvilagus
Constantine, Denny G.:
Gestation period in the spotted skunk, 421
Locality records and notes on western bats, 404
convexifrons, see Symbos
Cook, Edwin F.:
(see Davis, Wayne H.)
cooperi, see Synaptomys
Copulation:
Didelphis, 397
Dipodomys, 413
Thomomys, 167
corinnae, see Pseudocheirus
coryi, see Felis
Cotton rat, 13, 106
Cottontail, 92, 173, 237, 254, 255
couesi, see Odocoileus
Cougar, 204
couguar, see Felis
Cowan, I. McT. and Valerius Geist:
Aggressive behavior in deer of the genus Odocoileus, 522
Coyote, 109, 275, Colo., N. Mex., Wyo., 510, 560, Tex., 503, 506
Coyote-control areas, Colo., N. Mex., Wyo., 510
coypus, see Myocastor
Cranial asymmetry, Geomys, 412
Cratogeomys, trapping, 543
crawfordi, see Notiosorex
crinitus, see Peromyscus
cristata, see Condylura
Crocidura, 411
Cryptotis parva, 95, Mich., 25, Okla., 235
pergracilis, distr., ecol., Michoacan, 121
Ctenomys, 359
cunicularis, see Sylvilagus

Curiosity behavior, mustelids, 276
curtatus, see Lagurus
Cuterebra, 383
cyclotis, see Murina
cynocephalus, see Thylacinus
Cynomys, 116
ludovicianus, Okla., 237, records, 513, 557

Dalquest, Walter W.:
Sylvilagus cunicularis in the Pleistocene of Mexico, 408
Dasypterus ega, Ariz., distr., 97, S Pacific, meas., 530
ega xanthinus, 97
Dasypus novemcinctus mexicanus, Kans., 283, Okla., 236
Dater, Eleanor E.:
Tolerance among nocturnal woodland creatures, 424
Davies, J. L.:
Birth of an elephant seal on the Tasmanian coast, 113
Davis, David E.:
(see Snyder, Robert L.)
Davis, Wayne H., James R. Beer and Edwin F. Cook:
Effects of pregnancy on the spleen in mice, 53
Davis, William B.:
The female of Mustela frenata texensis, 273
davyi, see Pteronotus
Deaths reported:
Anderson, Rudolph M., 444
Brown, William H., 572
Collins, Henry Hull, Jr., 444
Commissaris, Larry R., 295
Gregory, Tappan, 444
Hendrickson, George O., 444
Pratt, Harold P., 444
Schwarz, Ernst, 572
Scott, Walter J., 295
Selle, Raymond M., 444
Deer:
mule, 94, 112, 513, 514, 557
red, 124
white-tailed, 94, 426, 553, 559
Defense, Spalax, 359
de la Torre, Luis:
(see Hoffmeister, Donald F.)
Dentition:
Citellus, 477
Madoqua, 551
Mephitis, 422
Muntiacus, 552
Odocoileus, 551
Rangifer, 552
Sorex, 527
Spilogale, 422
Ziphius, 72
Description, Orcinus, 418
deserti, see Dipodomys
Desmodus rotundus, flight, 153, Mex., 537
Development:
Erinaceus, 398
Hemiechinus, 398
Paraechinus, 398
Dexter, Ralph W.:
An albino shrew from Ohio, 96
Dhaliwal, S. S.:
Ecological and geographical studies of Rattus rattus in Malaya, 349
diardii, see Rattus
Dice, Lee R.:
Laboratory instruments for measuring the behavior of shy or nocturnal small mammals, 159
Dicrostonyx groenlandicus, Man., 194
Didelphis marsupialis, 408, hab., 424, Md., swimming, 428, hab., Okla., 397, Okla., virginiana, 235
difficilis, see Peromyscus, Vesperimus
Digging, Spalax, 359
Dik-dik, dent., 551
Dipodomys, 116
deserti, cap., breeding, hab., 413
merriami, 413
ordi, Colo., 171, 173, Utah, 337, rec., 413, 513
ordi richardsoni, Okla., Tex., hab., 337
spectabilis, 413
Disease, Rattus, 344
Distribution:
Apodemus, 105
Artibeus, 536
Arvicola, 105
Balantiopteryx, 536
Bassariscus, 274
Bison, 94, 279
Castor, 93
Cervus, 94
Citellus, 257, 477
Cryptotis, 121

Dasypterus, 97
Eschrichtius, 108
Eumetopias, 223
Felis, 277, 278
Glossophaga, 536
Kogia, 269
Lasiurus, 123
Lutra, 93
mammals in Kansas, 282
mammals in Quebec, 281
Marmota, 255
Microtus, 123
Monachus, 113
Mus, 124
Mustela, 93, 380
Myocastor, 93
Myotis, 281
Natalus, 536
Noctilio, 536
Notiosorex, 120
Odocoileus, 94
Ondatra, 268
Oreamnos, 280
Ovis, 94
Perognathus, 281
Peromyscus, 121
Phoca, 425
Plecotus, 97
Rattus, 344, 349
Reithrodontomys, 121
Scalopus, 92, 117
Sciurus, 92, 121
Sigmodon, 122
Sorex, 96, 120, 122
Sylvilagus, 92, 122, 123
Tadarida, 253, 404, 533
Tamias, 92
Tamiasciurus, 313
Urocyon, 93
Zalophus, 548
Zapus, 124
Distrito Federal, Peromyscus, 13
divergens, see Odobenus
Diving, Microtus, 39
Domestic animals, trapped, 513
domestica, see Felis
Dormice, 560
dorsatum, see Erethizon
douglasi, see Citellus, Tamiasciurus
Downing, S. C. and D. H. Baldwin:
Sharp-shinned hawk preys on red bat, 540
Drinking, flying foxes, 252
Dunaway, Paul B. and Stephen V. Kaye:
Cotton rat mortality during severe winter, 265
Effects of industrial oil disposal on wild mammals, 554
Dunmire, William W.:
Breeding season of three rodents on White Mountain, California, 489

Ecology:
Cryptotis, 121
Notiosorex, 120
Reithrodontomys, 121
Sciurus, 121
Sorex, 120
Spalax, 359
ega, see Dasypterus
Egerton, Frank N.:
William Harvey on the mating of red deer, 124
Egoscue, Harold J.:
Small mammal records from western Utah, 122
elaphus, see Cervus
Elk, 94, 557
elucus, see Procyon
Emergence, Tadarida, 405
Enclosure for small mammals, 391
Enhydra lutris, Calif., hab., 224, 271
Eptesicus fuscus, Ariz., 64, Ky., 399, N. Mex., 538
fuscus fuscus, Manitoba, 529
fuscus miradorensis, Michoacan, 121
fuscus pallidus, Manitoba, 529
eremicus, see Peromyscus
Erethizon dorsatum, Ala., 544, Ill., 119, Mont., 112, rec., 513, 514
dorsatum bruneri, Okla., 239
Erickson, Albert W. and William G. Youatt:
Seasonal variations in the hematology and physiology of black bears, 198
Erinaceus europaeus, birth, develop., 398
erminea, see Mustela
Erythrism:
Procyon, 270
Sylvilagus, 254
Eschrichtius glaucus, Alaska, Calif., Ore., Wash., 108, swimming, abnormality, 419
Eubalaena sieboldi, swimming, 419
Euderma maculata, N. Mex., 67, 401, 538, Wyo., 401, guano, 66, meas., 539

Eumetopias jubata, Alaska, distr., growth, hab., 218, 223, comp., 547, 548
Eumops perotis, Ariz., guano, 66
perotis californicus, Tex., 404
underwoodi sonoriensis, Tex., hab., voice, young, 404
europaeus, see Erinaceus
Eutamias, as fd., 516
minimus, Colo., 415
Evans, Francis C.:
(see Howard, Walter E.)
evotis, see Myotis
exulans, see Rattus

familiaris, see Canis
fasciatus, see Lynx
Fecundity, Microtus, 486
Feeding behavior, Myocastor, 269
felipensis, see Peromyscus
Felis concolor, Penn., 116, 117, reprod., 204
concolor couguar, Me., 278, W. Va., 277
concolor coryi, Fla., meas., 278
domestica, hab., 424
inexpectata, 277
longicrus, 277
onca, 116, 277
pardalis, 116
femorosacca, see Tadarida
Ferret, black-footed, 93
Findley, James S.:
Geographic variation in New Mexican chickarees, 313
Findley, James S. and Clyde J. Jones:
New United States record of the Mexican big-eared bat, 97
Fiscus, Clifford H.:
Growth in the Steller sea lion, 218
(see Wilke, Ford)
Fisher, 544, 545
Fisler, George F.:
Behavior of salt-marsh Microtus during winter high tides, 37
flavescens, see Perognathus
flaviventris, see Marmota
flavus, see Bassariscus
Flight, morphological characters in bats, 152
Flooding, effect on Peromyscus, 494
Florida:
Monachus, 113
Urocyon, 109
floridana, see Neotoma
floridanus, see Peromyscus, Sylvilagus, Urocyon
florium, see Murina
Flying fox, 252
fontigenus, see Microtus
Food of:
Gulo, 546
Lasiurus, 98
Martes, 516, 517
Spalax, 359
Tamiasciurus, 240
Food, used as:
Citellus, 516, 517
Clethrionomys, 516
Eutamias, 517, 518, 519
Glaucomys, 518, 519
Lasionycteris, 540
Lasiurus, 540
Lepus, 516, 517, 518, 519
Marmota, 517
Microtus, 516, 517, 518
Neotoma, 517
Ochotona, 516, 517
Peromyscus, 517
Phenacomys, 516
Sorex, 516, 517, 520
Tamiasciurus, 516, 517, 518, 519
Thomomys, 516, 517, 518, 519
Zapus, 517
Food habits, Mustela, 273
Food storage, Peromyscus, 261
Fossil:
capybara, 572
mammoth, 572
Myotis, 402
Plecotus, 402
Sylvilagus, 408
Symbos, 114
Foster, J. Bristol:
Life history of the phenacomys vole, 181
Foster, J. Bristol and Randolph L. Peterson:
Age variation in Phenacomys, 44
Fox:
gray, 93, 270, 283
kit, 109, 557
red, 179, 283, 513
swift, 510
fremonti, see Tamiasciurus
frenata, see Mustela
frustror, see Canis
fulva, see Vulpes
fulvescens, see Reithrodontomys
Funderburg, John B.:

Erythristic raccoons from North Carolina, 270
Funisciurus carruthersi, 152
fuscus, see Eptesicus

Galapagos Islands, Lasiurus, 531
gapperi, see Clethrionomys
Gashwiler, Jay S.:
(see Robinette, W. Leslie)
Gashwiler, Jay S., W. Leslie Robinette and Owen W. Morris:
Breeding habits of bobcats in Utah, 76
Geil, Earl H.:
(see Handley, Charles O., Jr.)
Geist, Valerius:
(see Cowan, I. McT.)
Genetics of:
Martes, 112
Tadarida, 533
geoffroyi, see Anoura
Geomys, Colo., caged, hab., recordings, 542, trapping, 543
bursarius, Colo., burrows, 171, Colo., cranial asymmetry, 412, hab., 542
pinetis, breeding behav., 170
Georgia:
Martes, 545
Sigmodon, 106
Sylvilagus, 255
Gestation:
Leontocebus, 253
Pecari, 425
Spilogale, 421
Thomomys, 167
Getz, Lowell L.:
Home ranges, territoriality, and movement of the meadow vole, 24
New locality records of some Kansas mammals, 282
Gilmore, Raymond M.:
Whales without flukes or flippers, 419
A pelagic immature northern fur seal, 549
Giraffa camelopardalis, reprod., captivity, 427
Giraffe, blotched, 427
Glass, Bryan P. and Arthur F. Halloran:
The small mammals of the Wichita Mountains Wildlife Refuge, Oklahoma, 234
Glaucomys volans saturatus, Okla., 237
glaucus, see Eschrichtius
Glossophaga soricina leachi, Michoacan, 121, Mex., 536
Goat, mountain, 280
goldmani, see Canis
Golley, Frank B.:
Trap and bait preference of cotton rats, 106
Gopher, pocket, 541, 542
gossypinus, see Peromyscus
Gould, Patrick J.:
Emergence time of Tadarida in relation to light intensity, 405
gracilis, see Peromyscus
grahamensis, see Tamiasciurus
grangeri, see Sylvilagus
Greece, Spalax, 359
grisescens, see Myotis
griseus, see Peromyscus, Reithrodontomys, Tamias
groenlandicus, see Dicrostonyx
Ground squirrel, 513, 557, 560
Growth, Eumetopias, 218
Guano:
Antrozous, 66
Euderma, 66
Eumops, 66
Lasiurus, 66
Guenon, green, 152
Guerriere, Anthony:
(see Wimsatt, William A.)
Guilday, John E.:
Plecotus from the Pennsylvania Pleistocene, 402
Abnormal lower third molar in Odocoileus, 551
Prehistoric record of Scalopus from western Pennsylvania, 117
Guiler, Eric R.:
Breeding season of the thylacine, 396
Gulo luscus, Iowa, wt., meas., fd., 546
Gunderson, Harvey L.:
A self-trapped gray fox, 270
An unusual cause of death of a white-tailed deer, 553
Gupta, B. B.:
Investigations of the rolling mechanism in the Indian hedgehog, 365
Gupta, B. B. and H. L. Sharma:
Birth and early development of Indian hedgehogs, 398

Habitat, Sorex, 455

Habits:
Condylura, 528
Didelphis, 397, 424
Dipodomys, 413
Eumops, 404
Felis, 424
Mephitis, 424
Myotis, 400
Plecotus, 402
Procyon, 424
Rattus, 349
Reithrodontomys, 323
Spalax, 359
Tadarida, 405
Urocyon, 424
Hall, E. Raymond:
Bison bison in Nevada, 279
Hall, John S.:
Myotis austroriparius in central Kentucky, 399
Halloran, Arthur F.:
(see Glass, Bryan P.)
Halvorson, Curtis H.:
Curiosity of a marten, 111
Hamster, golden, 202, 560
Handley, Charles O., Jr., Roger Stafford and Earl H. Geil:
A West Virginia puma, 277
Hansen, Richard:
(see Vaughan, Terry A.)
Harpiocephalus suillus, 532
harriscrooki, see Canis
Harrison, David L. and Robert E. Lewis:
The large mouse-eared bats of the Middle East, with description of a new subspecies, 372
Haugen, Arnold O.:
Wolverine in Iowa, 546
Hayward, Bruce J.:
Notes on Plecotus phyllotis from Arizona, 402
Hazard, Evan B.:
The subgeneric status and distribution in time of Citellus rexroadensis, 477
Hedgehog, 365, 398, 560
Helarctos malayanus, reprod., captivity, 427
Hematology, Ursus, 198
Hemiechinus auritus, birth, development, 398
hemionus, see Odocoileus
hesperus, see Pipistrellus
Heterocephalus, 359
Hibbard, Claude W.:
(Review of) E. L. Simons, The Paleocene Pantodonta, 129
Hibernation:
bats, 560
bears, 560
dormice, 560
ground squirrels, 560
hamsters, 560
hedgehogs, 560
jerboas, 560
jumping mice, 560
marmots, 560
Perognathus, 103
Hidalgo, Peromyscus, 11
Hildebrand, Milton:
Further studies on locomotion of the cheetah, 84
Voice of the grasshopper mouse, 263
Hippopotamus amphibius, reprod., captivity, 427
hirsutus, see Artibeus
hispidus, see Perognathus, Sigmodon
Hoffmeister, Donald F. and Luis de la Torre:
Geographic variation in the mouse Peromyscus difficilis, 1
Holliman, Dan C.:
Erythrism in an Alabama cottontail, 254
holzneri, see Mephitis
Home range:
Clethrionomys, 174
Peromyscus, 174, 497
Procyon, 113
Sorex, 455
Homing:
Perognathus, 416
Peromyscus, 416
Tamias, 256
hondurensis, see Canis
Hooper, Emmet T.:
Notes on mammals from western and southern Mexico, 120
horribilis, see Ursus
Houck, Warren J.:
Notes on the Pacific striped porpoise, 107
House, H. Bradford:
(see Long, Charles A.)
Howard, Walter E.:
A pocket gopher population crash, 258
Howard, Walter E. and Elbert M. Brock:
A drift-fence pit trap that preserves captured rodents, 386

Howard, Walter E. and Francis C. Evans:
Seeds stored by prairie deer mice, 260
hoyi, see Microsorex
Huber, Ivan:
(Review of) B. I. Balinsky, An introduction to embryology, 430
hudsonicus, see Clethrionomys, Tamiasciurus
hudsonius, see Zapus
Huey, Laurence M.:
Further northern extension of the hog-nosed skunk, 421
humulis, see Reithrodontomys
huttoni, see Murina
Hylobates cinereus, Borneo, 99
leuciscus, 99
moloch, Borneo, color, 99

Idionycteris phyllotis, Ariz., 61, 97
illinoensis, see Neotoma
Illinois:
Erethizon, 119
Neotoma, 119
Spilogale, 119
Sylvilagus, 541
Illustration:
Bison, skull from Nevada, 280
cage for vampire bats, 452, 453
Canis, 506, 507, 508
chromatogram of milk sugar, 250
Citellus rexroadensis, ramus, 477, 479
electrophoretic patterns, milk, 247
external measurements, cetaceans, 475
graphs of cougar growth and weight, 205, 209
hematology factors, graphs, 199
holding box, 177
instruments for measuring behavior, 160
mouse tracks on smoked paper, 464, 467
Odocoileus, mandibles, 552
Odocoileus, postures of male, 523, 524, 525
Phenacomys, 182
Pseudocheirus, hairs, 150, 151
puma, 277, 279
Sigmodon, in nest box, 266
Sorex, dentition, 527
wandering shrew, habitat, 456
Zalophus, phalanges, 548
incautus, see Myotis
India, Paraechinus, 365
Indiana:
Gulo, 546
Myotis, 540
Pipistrellus, 540
Sylvilagus, 99
inexpectata, see Felis
Ingles, Lloyd:
Home range and habitats of the wandering shrew, 455
Reingestion in the mountain beaver, 411
Inglis, J. M.:
(see McCulloch, C. Y.)
insignis, see Napaeozapus
interior, see Lutra
intermedius, see Perognathus, Phenacomys, Reithrodontomys, Scalopus
intervectus, see Microsorex
Iowa:
Gulo, 546
local list, 92
irvingtonensis, see Canis

Jackson, Hartley H. T.:
(Review of) C. T. Barnes, The cougar or mountain lion, 430
Jaguar, 277
Jakway, George E.:
Symbos convexifrons an invalid species, 114, 429
jalorensis, see Rattus
jamaicensis, see Artibeus
japonicus, see Ursus
Jenness, Robert:
(see Sowls, Lyle K.)
Jerboas, 560
Johnson, Donald R.:
Additional record of mountain goat in northeastern Washington, 280
Jones, Clyde J.:
Additional records of bats in New Mexico, 538
Additional records of shrews in New Mexico, 399
(see Findley, James S.)
Jones, J. Knox, Jr., and Charles A. Long:
Sorex longirostris in Mississippi, 252
jubata, see Eumetopias
Justice, Keith E.:
A new method for measuring home ranges of small mammals, 462

Kansas:
Citellus, 477
Dasypus, 283

Lasionycteris, 282
Marmota, 255
Myotis, 98
Otospermophilus, 477
Tadarida, 282
Urocyon, 283
Vulpes, 283
Kaye, Stephen V.:
Movements of harvest mice tagged with gold-198, 323
(see Dunaway, Paul B.)
keeni, see Myotis
Kentucky:
Eptesicus, 399
Myotis, 399
Pipistrellus, 399
Kenyon, Karl W.:
Cuvier beaked whales stranded in the Aleutian Islands, 71
Kenyon, Karl W. and Dale W. Rice:
Abundance and distribution of the Steller sea lion, 223
King, Otis M.:
A note on opossum behavior, 397
Kinsey, Charles:
Leopard frog attacks bat, 408
Kirkpatrick, Ralph D.:
New observations of Indiana swamp rabbits, 99
Koala, 396
Kogia breviceps, Md., 269
komareki, see Sigmodon
Koopman, Karl F.:
A collection of bats from Sinaloa, with remarks on the limits of the neotropical region in northwestern Mexico, 536
Krutzsch, Philip H.:
A summer colony of male little brown bats, 529

laceyi, see Reithrodontomys
Lagenorhynchus obliquidens, Calif., fd., 107
Lagomorph skins, method of preparing, 409
Lagurus curtatus, Calif., breeding season, 489
lanosa, see Murina
Lasionycteris noctivagans, Kans., 282, N. Mex., 538, Bermuda, 531, Ontario, 540
Lasiurus, Calif., 67
borealis, Ariz., 64, guano, 66, Tex., as fd., 98, comp., hab., Bermuda, Galapagos and Hawaiian Ids., 531, N. Mex., meas., 404, 539, Ontario, as fd., 540
borealis borealis, Manitoba, 529, Okla., 236
borealis teliotis, 539
cinereus, Ariz., 64, Manitoba, 529, Bermuda, 531, N. Mex., 538, Ontario, as fd., 540
cinereus cinereus, Okla., 236, Utah, distr., 123
seminolus, Bermuda, 531
Late Pleistocene, Canis, Tex., 503
lateralis, see Citellus
latrans, see Canis
Laughlin, H. E.:
(see Wilks, B. J.)
leachi, see Glossophaga
Lemming:
bog, 194
brown, 493
varying, 194
leonina, see Mirounga
Leontocebus rosalia, gest., 253
lepophagus, see Canis
Leptonycteris nivalis, flight, 153
nivalis sanborni, Ariz., 404
lepturus, see Peromyscus
Lepus alleni, 116
americanus, as fd., 516, 517, 518
californicus, 116, 408, rec., 513, 514
californicus melanotis, Okla., 236
townsendi, rec., 513, 514, 557
lestes, see Canis
leuciscus, see Hylobates
leucocephalus, see Peromyscus
leucodon, see Spalax
leucogaster, see Onychomys
leucoparia, see Spilogale
leucopus, see Peromyscus
levis, see Phenacomys
Lewis, Robert E.:
(see Harrison, David L.)
Libby, Wilbur L.:
Occurrence of "Samson" condition in marten, 112
Lidicker, William Z., Jr.:
Two southern range extensions in Chihuahua, 281
Life history:
Felis, 204
Phenacomys, 181
Lighthouse fatalities:

Lasionycteris, 540
Lasiurus, 540
lilium, see Sturnira
Limbaugh, Conrad:
Observations on the California sea otter, 271
Lippoldt, Arthur:
(see Stains, Howard J.)
Litter size, Sylvilagus, 254
Live trapping, Peromyscus, 494
llanensis, see Sylvilagus
Local list:
Arizona, 116
Colorado, 171
Iowa, 92
Mexico, 120
Michoacan, 121
Nebraska, 92
Oaxaca, 120
Oklahoma, 234
Pennsylvania, 117
Quebec, 281
Sinaloa, 120, 536
Utah, 122
Locomotion, cheetah, 84
Long, Charles A.:
A dental abnormality in Sorex palustris, 527
First record of the gray bat in Kansas, 97
Reithrodontomys montanus griseus in Missouri, 417
Woodchuck in Oklahoma and southeastern Kansas, 255
(see Jones, J. Knox, Jr.)
Long, Charles A. and H. Bradford House:
Bassariscus astutus in Wyoming, 274
Longevity:
Sylvilagus, 99, 109
Urocyon, 109
longicaudus, see Microtus, Phenacomys
longicrus, see Felis
longirostris, see Sorex
Lord, Rexford D., Jr.:
Potential life span of cottontails, 99
The lens as an indicator of age in the gray fox, 109
lotor, see Procyon
lucifugus, see Myotis
ludovicianus, see Cynomys
lupus, see Canis
luscus, see Gulo
luteus, see Peromyscus
Lutra canadensis interior, distr., Nebr., 93
lutris, see Enhydra
lycaon, see Canis
lychnuchus, see Tamiasciurus
Lynx rufus, reprod., Utah, 77, Penn., 116, 117, Colo., N. Mex., Wyo., 510
rufus fasciatus, 557
lysteri, see Tamias

machrinoides, see Scalopus
machrinus, see Scalopus
mackenzii, see Phenacomys
MacLeod, C. F. and A. W. Cameron:
Distribution records for mammals in west-central Quebec, 281
MacLeod, Charles F.:
(see Beer, James R.)
macrocephalicus, see Myotis
macrodon, see Mustela, Ondatra
macrotis, see Vulpes
Macrotus californicus, Ariz., 404
maculata, see Euderma
Madoqua, dent., 551
Maine:
deer, 559
Felis, 278
Malaya, Rattus, 349
malayanus, see Helarctos
mallurus, see Sylvilagus
Mammoth, Ariz., fossil, 572
maniculatus, see Peromyscus
Manitoba:
Eptesicus, 529
Lasiurus, 529
Myotis, 529
Phenacomys, 49
Manville, Richard H.:
Angora cottontail from Georgia, 255
The entepicondylar foramen and Ochrotomys, 103
Notes on behavior of marten, 112
(Review of) C. F. Banasiak, Deer in Maine, 559
(Review of) D. J. Borror, Dictionary of word roots and combining forms, 285
(Review of) R. D. Burroughs, The natural history of the Lewis and Clark Expedition, 557
(Review of) E. L. Cockrum, Recent mammals of Arizona, 431
(Review of) R. Froman, The nerve of some animals, 560

(Review of) Godfrey and Crowcroft, Life of the mole, 431
(Review of) H. H. T. Jackson, Mammals of Wisconsin, 284
(Review of) Lyman and Dawe, Mammalian hibernation, 560
(Review of) National Geographic Society, Wild animals of North America, 128
(Review of) G. Niethammer, Reports and results of bat-banding experiments in Germany and Austria, 285
(Review of) R. T. Orr, Vertebrate biology, 560
(Review of) A. S. Parkes, Hypothermia and the effects of cold, 285
(Review of) H. Schmidt, Der Flug der Tiere, 431
(Review of) G. G. Simpson, Principles of animal taxonomy, 431
(Review of) J. K. Terres, The wonders I see, 129
(Review of) J. W. Warwick, The jaws and teeth of primates, 129
Manville, Richard H. and Robert P. Shanahan:
Kogia stranded in Maryland, 269
Map:
Apodemus, distr., 105
Arvicola, distr., 105
Eumetopias rookeries, 231
Peromyscus, distr., 4
Plecotus, distr., 63
Sigmodon, distr., 15
marginatus, see Citellus
Marking:
Mus, 465
Reithrodontomys, 323
Marmoset, lion, 253
Marmota, Wyo., 100, as fd., 517
flaviventris nosophora, Wyo., melanism, 100
monax, 200, Md., swimming, 428, Penn., 117
monax bunkeri, 256
monax monax, Kan., Okla., 255, Penn., wt., 297
Marmots, 560
marsupialis, see Didelphis
Marten, 111, 276, 516, 519
Martes americana, Alaska, gen., 112, Colo., behav., 111, Mont., behav., 112, Wyo., hab., 276
americana caurina, Wyo., fd., hab., 516
pennanti, Penn., 117, Ala., archaeol. sites, 544
Martin, Robert L.:
Vole predation on bats in an Indiana cave, 540
Maryland:
Canis, 507
Didelphis, 428
Kogia, 269
Marmota, 428
Mephitis, 428
Plecotus, 402
Tamias, 428
Massachusetts:
Peromyscus, 263, 383
Tamiasciurus, 240
McCulloch, C. Y. and J. M. Inglis:
Breeding periods of the Ord kangaroo rat, 337
McLaughlin, Charles A.:
(see Van Gelder, Richard G.)
mearnsi, see Canis, Sylvilagus
Measurements:
Bison, 553
Callorhinus, 549
Canis, 503, 504
Citellus, 478, 479, 480, 481
Eptesicus, 529
Euderma, 539
Gulo, 546
Lasiurus, 539
Murina, 533
Mustela, 273
Plecotus, 539
Measuring:
cetaceans, smaller, 471, 474
home ranges, small mammals, 462
Megadontomys, 104
Megalonyx, Tenn., fossil, 545
megalophylla, see Aëllo, Mormoops
megalotis, see Reithrodontomys
Megaptera novaeangliae, abnormality, swimming, 419
Melanism:
Marmota, 100
Rattus, 268
melanorhinus, see Myotis
melanotis, see Lepus, Sigmodon
Mephitis mephitis, Colo., 174, Colo., N. Mex.,

Wyo., 510, Md., swimming, 428, Penn., 117, hab., 424
mephitis holzneri, Calif., dent., 422
merriami, see Dipodomys, Sorex
Mesocricetus auratus, 202
mesoleucus, see Conepatus
mewa, see Thomomys
mexicana, see Choeronycteris, Tadarida
mexicanus, see Dasypus, Microtus, Natalus, Noctilio
Mexico:
Anoura, 537
Balantiopteryx, 537
Chilonycteris, 537
Chiroderma, 537
Desmodus, 537
Glossophaga, 533
Noctilio, 536
Peromyscus, 12, 13
Plecotus, 402, 538
Pteronotus, 537
Rhogeesa, 537
Sturnira, 537
Zalophus, 547
Michigan:
Blarina, 26
Condylura, 528
Cryptotis, 25, 26
Microtus, 25
Mustela, 273
Odocoileus, 426
Peromyscus, 26, 260, 386
Scalopus, 26
Sorex, 26, 95
Synaptomys, 26
Zapus, 26
Michoacan, local list, 121
Mickey, Arthur B.:
Record of the spotted bat from Wyoming, 401
microdon, see Canis
micropus, see Microtus, Paraechinus
Microsorex hoyi intervectus, Quebec, 282
Microtus, 386, swimming, 39
agrestis, 26
arvalis, 267
californicus, Calif., behav., 37, Calif., anat., 102
longicaudus, Calif., anat., 102, Colo., 415
mexicanus, N. Mex., 399
montanus, Calif., anat., 102, Colo., 173
montanus micropus, Utah, distr., 123
montanus nexus, Utah, distr., 124
ochrogaster, Colo., 173, Ind., as predator, 540
pennsylvanicus, 183, 185, reprod., 483, hab., 529, Man., 194, Mich., pop., wt., 24, 274, Minn., 177
pennsylvanicus fontigenus, Quebec, 282
pinetorum nemoralis, Okla., 238
Middle East, Myotis, 372
Middle Pliocene, Citellus, 477
Milk, of collared peccary, 245
minimus, see Eutamias, Sigmodon
Mink, sea, 380
Minnesota:
Clethrionomys, 174
Gulo, 546
Peromyscus, 53, 174
Procyon, 113
miradorensis, see Eptesicus
Mirounga angustirostris, comp., 549
leonina, Tasmania, reprod., 114
Mississippi, Sorex, 252
Missouri:
Reithrodontomys, 417
Sorex, 527
missouriensis, see Castor
mogolonensis, see Tamiasciurus
Mohlhenrich, John S.:
Distribution and ecology of the hispid and least cotton rats in New Mexico, 13
Mohrman, Robert K.:
(see Parmalee, Paul W.)
Mole, 92, 172, 236
moloch, see Hylobates
molossa, see Tadarida
Molossus nigricans, flight, 153
Mona Island, Rattus, 344
Monachus tropicalis, Fla., distr., 113
monax, see Marmota
Montana:
Erethizon, 112
Martes, 112
Odocoileus, 112
Tamiasciurus, 112
Thomomys, 542
Ursus, 112
montanus, see Microtus, Reithrodontomys
monticola, see Thomomys
mooreheadi, see Smilodontopsis
Moose, behav., 525

Mormoops megalophylla megalophylla, Ariz., 404
megalophylla senicula, Tex., 404
Morris, Owen W.:
(see Gashwiler, Jay S.)
(see Robinette, W. Leslie)
Mortality:
Rangifer, 550
Sigmodon, 265
Mountain beaver, 411
Mountain sheep, 94
Mouse:
deer, 173, 238, 260, 262, 416
grasshopper, 174, 263
harvest, 235, 238, 323, 417
house, 239
jumping, 560
meadow, 177
pine, 238, 555
pocket, 416
red-backed, 174
white-footed, 174, 238, 240, 262, 555
white laboratory, 273
wood, 262
Movement:
Rattus, 344
Reithrodontomys, 323
mumfordi, see Myotis
Muntiacus sinensis, dent., 552
Muntjac, dent., 552
Murie, Adolph:
Some food habits of the marten, 516
Murina, distr., 531
cyclotis, Burma, 533
florium, Flores Id., 532
huttoni, 533
lanosa, Ceram Id., 532
suilla, 532
toxopeusi, Buru Id., 532
Mus, 282
musculus, 391, terr., 30, Utah, distr., 124, marking system, 465
musculus brevirostris, Okla., 239
musculus, see Mus, Sibbaldus
Muskrat, 268, 269, 555
Mustela erminea, Minn., 179
frenata, Colo., 174, Wyo., hab., 273, 276
frenata texensis, Tex., meas., 273
macrodon, distr., map, 380
nigripes, Nebr., distr., 93
rixosa, Mich., food, 273
Myocastor coypus, Nebr., 93, N. Car., fd., 269, Okla., 239
Myotis, Kans., 98, Penn., fossil, 402, 408
albescens, 559
argentatus, 559
austroriparius mumfordi, Ky., 399
blythi, 372
blythi omari, 372
blythi oxygnathus, 372
californicus, Ariz., 64
evotis, Ariz., 64
grisescens, Kans., distr., 98
keeni, Ohio, hab., 400
keeni septentrionalis, Quebec, 281
lucifugus, 98, flight, 153, Ky., 399, W. Va., hab., 530
lucifugus lucifugus, Manitoba, 529
myotis, Middle East, rev., 372
myotis *macrocephalicus*, orig. desc., 373
myotis myotis, 372
myotis risorius, 372
occultus, N. Mex., 538
sodalis, Ky., 399
subulatus, Ariz., 64
subulatus melanorhinus, Chihuahua, 281, Okla., 236
subulatus subulatus, 281
thysanodes, 97, Ariz., 64, flight, 153, N. Mex., 538
velifer, Ariz., 404, flight, 153
velifer incautus, Okla., 236
velifer velifer, Michoacan, 121
volans, 97, Ariz., 64, N. Mex., 538
yumanensis, Ariz., 404
mysticetus, see Balaena

nanus, see Artibeus, Sorex
Napaeozapus insignis, Quebec, 282
nasutus, see Peromyscus, Vesperimus
Natalus mexicanus, Sonora, 403
stramineus, distr., Mexico, 536
navigator, see Sorex
Nebraska:
local list, 92
Symbos, 114
nebrascensis, see Peromyscus
Negus, Norman C.:
(see Stewart, Paul A.)
nemoralis, see Microtus
neomexicanus, see Sylvilagus, Tamiasciurus
Neotoma, 116
attwateri, 238

cinerea, 557
floridana, 557
floridana illinoensis, Ill., 119
floridana osagensis, Okla., 238
nerterus, see Reithrodontomys
Nest, Spalax, 359
Nest boxes, Peromyscus, 494, 499, 500
Nevada, Bison, 279
nevadensis, see Bassariscus
New Guinea, Murina, 531
New Mexico:
Antrozous, 538
Canis, 510
Eptesicus, 538
Euderma, 67, 401, 538
Lasionycteris, 538
Lasiurus, 404, 538, 539
Lynx, 510
Mephitis, 510
Microtus, 399
Myotis, 538
Peromyscus, 3
Plecotus, 538
Procyon, 510
Sigmodon, 13, 14
Sorex, 399
Spilogale, 421
Tadarida, 404, 538
Tamiasciurus, 313
Taxidea, 510
Vulpes, 510
New name:
Canis latrans *harriscrooki*, orig. desc., 505
Myotis myotis *macrocephalicus*, orig. desc., 373
New South Wales, Pteropus, 252
New York, Tamias, 256
New Zealand, Zalophus, Pleistocene, 548
nexus, see Microtus
niger, see Canis, Sciurus
nigricans, see Molossus
nigripes, see Mustela
Nilgai, behav., 525
nivalis, see Leptonycteris
Noctilio leporinus mexicanus, distr., Mex., 536
noctivagans, see Lasionycteris
North Carolina:
Martes, 544
Myocastor, 269
Ondatra, 268
Procyon, 270
Sylvilagus, 254
Northwest Territories:
Bison, 553
Rangifer, 550
norvegicus, see Rattus
nosophora, see Marmota
Notiosorex crawfordi, distr., Sinaloa, ecol., 120, Okla., 235
novaeangliae, see Megaptera
noveboracensis, see Peromyscus
novemcinctus, see Dasypus
Nutria, 269
nuttalli, see Ochrotomys, Peromyscus, Sylvilagus
Nyctimene, comp., 531

Oaxaca:
local list, 120
Peromyscus, 3, 13
obliquidens, see Lagenorhynchus
occidentalis, see Bison
occultus, see Myotis
Ochotona, as fd., 516
ochraceous, see Clethrionomys
ochrogaster, see Microtus
ochropus, see Canis
Ochrotomys nuttalli, comp., 103, 104
ochrourus, see Odocoileus
Odobenus rosmarus divergens, 224
Odocoileus, behav., 522
hemionus, 94, 112, 116, Mont., 112, rec., 513, 514, behav., Br. Col., 522, 525, 557
hemionus columbianus, Vancouver Id., behav., Calif., 522, illus., 523, 524, 525
hemionus hemionus, Br. Col., behav., 522, 525, distr., Nebr., 94
hemionus sitkensis, Alaska, behav., 522, illus., 525
virginianus, Mich., reprod., 426, Penn., 117, dent., illus., 551, Minn., death, 553
virginianus couesi, 116
virginianus ochrourus, Br. Col., behav., 522
Ohio:
Blarina, 497
Canis, 420
Myotis, 400
Peromyscus, 494

Sorex, 96
ohioensis, see Sorex
Oil disposal, effect on:
Peromyscus, 555
Pitymys, 555
Sigmodon, 555
Oklahoma:
Didelphis, 397
Dipodomys, 337
local list, 234
Marmota, 255
Otospermophilus, 477
Sigmodon, 337
oklahomae, see Pipistrellus
omari, see Myotis
onca, see Felis
Ondatra zibethicus, Penn., 117, 269
zibethicus macrodon, N. Car., 268
Ontario:
Lasionycteris, 540
Lasiurus, 540
Onychomys leucogaster, Colo., 174, voice, 263
Opossum, 235, 254, 397, 428
oramontis, see Phenacomys
orca, see Orcinus
Orcinus orca, Bahamas, desc., 418
ordi, see Dipodomys
Oreamnos americanus, Wash., 280
Oregon:
Eschrichtius, 108
Perognathus, 416
Peromyscus, 416
Tadarida, 404
oreopolus, see Sorex
Original description:
Canis latrans *harriscrooki*, 505
Myotis myotis *macrocephalicus*, 373
orizabae, see Sylvilagus
ornatus, see Sorex
Os clitoridis, Microtus, 102
osagensis, see Neotoma
Osborn, Dale J.:
Two new distributional records from Thrace, 105
Otospermophilus, Kans., Okla., 477, comp., 480
Otter, sea, 224, 271
Ovis canadensis, 116
canadensis auduboni, Nebr., distr., 94
oxygnathus, see Myotis
Ozment, James:
(see Stains, Howard J.)

pallescens, see Plecotus
pallidus, see Antrozous, Eptesicus
palustris, see Sorex
Paradiso, John L.:
(Review of) Goodwin and Greenhall, A review of the bats of Trinidad and Tobago, 559
Paraechinus micropus, anat., India, 365, birth, development, 398
Paranyctimene, comp., 531
Parascalops breweri, Penn., 117
Parasites, Peromyscus, 383
pardalis, see Felis
Parmalee, Paul W., Raymond A. Bieri and Robert K. Mohrman:
Mammal remains from an Illinois cave, 119
parryi, see Citellus
Parsons, M. A.:
(see Abbott, H. G.)
parva, see Cryptotis
parvula, see Rhogeesa
parvus, see Perognathus
Peacock, Richard and Daniel:
The harvest mouse in northern Virginia, 543
Pecari tajacu, Ariz., gest., 425, milk, 245
Peccary, collared, 245, 425
pennanti, see Martes
Pennsylvania:
Erethizon, 545
local list, 117
Marmota, 297
Myotis, 402
Parascalops, 117
Plecotus, 402
Scalopus, 117
pennsylvanicus, see Microtus
pergracilis, see Cryptotis
Perognathus, 116, 386
flavescens, S. Dak., hibern., 103
hispidus spilotus, Okla., 238
intermedius intermedius, Chihuahua, 281
parvus, Ore., homing, 416
Peromyscus, 282, 386, Coahuila, 9, Colo., 3, Distrito Federal, 13, Hidalgo, 11, measuring behav., 159, Mex., 12, 13, N. Mex., 3, Oaxaca, 3, 13, Puebla, 12,

Queretaro, 11, San Luis Potosi, 10, Tamaulipas, 10, Tex., 8, Tlaxcala, 12
aridulus, 238
bairdi, 238
boylei, anat., 104, Michoacan, distr., 121
boylei attwateri, Okla., 238
bullatus, 1
crinitus, anat., 104, breeding season, Calif., 489
difficilis, 1
difficilis amplus, desc., distr., 11
difficilis comanche, desc., distr., 9
difficilis difficilis, desc., distr., 6
difficilis felipensis, desc., distr., 12
difficilis griseous, desc., distr., 8
difficilis nasutus, desc., distr., 7
difficilis petricola, desc., distr., 9
difficilis saxicola, desc., distr., 10
eremicus, anat., 104
floridanus, anat., 104
gossypinus, anat., 104, Tex., 494
lepturus, Oaxaca, distr., 121
leucopus, 391, anat., 104, food, 240, Mass., par., 263, 383, Mich., pop., 25, Minn., physiol., 53, Minn., winter range, 174, Tenn., oil disposal effect, 555
leucopus leucopus, Okla., 238
lecopus noveboracensis, physiol., botfly infect., 57, Mich., food, 262, Ohio, flooding effect, 494
maniculatus, anat., 104, Colo., 173, 415, Mich., wt., 274, 386, Ore., homing, 416
maniculatus bairdi, 35, Mich., food, 260
maniculatus gracilis, 282
maniculatus luteus, Okla., 238
maniculatus maniculatus, Quebec, 282
maniculatus sonoriensis, 262
nasutus, 1
nasutus griseus, syn., 8
nebrascensis, 238
noveboracensis, 238
nuttalli, anat., 103, syn., 104, Tex., 494, oil disposal effect, 555
petricola, 9
polionotus, anat., 104
polionotus leucocephalus, 26
polius, 1
saxicola, 10
sitkensis, anat., 104
texensis, 238
truei, 1, anat., 104
truei nasutus, syn., 7
perotis, see Eumops
Peterson, Randolph L.:
(see Foster, J. Bristol)
petricola, see Peromyscus
Phascolarctos cinereus, reprod., 396
Phenacomys, Manitoba, 49, Quebec, 49
albipes, 181
intermedius, 181, 187, habitat, 191
intermedius levis, 44
intermedius oramontis, 187
longicaudus, 181
silvicola, 181
ungava, age, 44, Manitoba, life hist., 181
ungava mackenzii, 44
ungava ungava, Quebec, 282
Phoca vitulina, Calif., 273
vitulina concolor, S. Car., distr., 425
phyllotis, see Idionycteris, Plecotus
Physeter catodon, 73
Physiology, Ursus, 198
pinetis, see Geomys
pinetorum, see Microtus, Pitymys
Pipistrellus hesperus, Ariz., 64, flight, 153
hesperus oklahomae, Okla., 236
subflavus, Ky., 399, 559
subflavus subflavus, Okla., 236
Pippin, Warren F.:
The distribution and movement of roof rats on Mona Island, West Indies, 344
Pit trap, 386
Pitymys pinetorum, Tenn., oil disposal effect, 555
Plecotus, Ariz., 61, 97, map, 63, Penn., fossil, 402, Tamaulipas, 97
alleghaniensis, Md., 402
phyllotis, Ariz., distr., 61, hab., 402, Ariz., Mex., N. Mex., habitat, 538, meas., 539, Ariz., Tamaulipas, distr., 97
tetralophodon, Mex., 402
townsendi, Ariz., 64, W. Va., 402
townsendi pallescens, Okla., 236
Pleistocene period:
Eumetopias, 547
Plecotus, 402
Zalophus, 547, 548
plicata, see Balantiopteryx
Pocket gopher, 167, 258
northern, 271
plains, 271, 412

valley, 171
poliopus, see Sciurus
Population:
carnivores, 510
Clethrionomys, 263
Peromyscus, 263
Thomomys, 258
Porcupine, 112, 214, 239, 513, 545
Porpoise, striped, 107
Possum, green ring-tailed, 149
Pournelle, George H.:
Notes on reproduction of the koala, 396
Prairie dog, 237, 513, 557
Predation by:
Sciurus, 101
Taxidea, 423
Predation on:
Citellus, 423
Microtus, 40
Myotis, 408, 540
Pipistrellus, 540
Pregnancy, Microtus, 486
Priewert, Fred W.:
Record of an extensive movement by a raccoon, 113
princeps, see Zapus
Procyon, 116
lotor, albino, 275, hab., 424, Minn., home range, 113, Colo., N. Mex., Wyo., 510
lotor elucus, 270
lotor lotor, N. Car., erythrism, 270
Productivity, Felis, 204
Pronghorn, 513, 514, 557
Pruitt, William O., Jr.:
On post-natal mortality in barren-ground caribou, 550
Pseudocheirus archeri, Queensland, color, 149
corinnae, New Guinea, 149
Pseudochirops, 149
Pteronotus davyi, Sinaloa, 537
Pteropus, drinking, 252
Puebla, Peromyscus, 12
Puma, 277, 278
putorius, see Spilogale

Quebec:
local list, 281
Phenacomys, 49, 181
quebecensis, see Tamias
Queensland, Pseudocheirus, 149
Queretaro, Peromyscus, 11

Rabbit, 236, 519, 541, 557
Raccoon, 113, 254, 270, 275, 515
Rangifer, dent., 552
arcticus, post-natal mort., 550
tarandus, post-natal mort., 550
Rat:
cotton, 238, 265
kangaroo, 171, 173, 337, 413, 513
mole, 359
Norway, 239, 268, 344
roof, 344
white, 273
wood, 238, 513, 557
Ratcliffe, Francis N.:
Flying foxes drinking sea water, 252
Rattus annandalei, Malaya, distr., 349
exulans, Malaya, distr., 349
norvegicus, Calif., melanistic, 268, Okla., 239, West Indies, distr., dis., 344
rattus, West Indies, distr., dis., 344
rattus argentiventer, Malaya, distr., hab., 349
rattus diardii, Malaya, distr., hab., 349
rattus jalorensis, Malaya, distr., hab., 349
Raun, Gerald G.:
The big free-tailed bat in southern Texas, 253
Ray, Clayton E.:
The monk seal in Florida, 113
(see Waters, Joseph H.)
Recording data, cetaceans, 471
Regehr, Edna:
(see Sowls, Lyle K.)
Reindeer, domestic, 551
Reingestion, Aplodontia, 411
Reithrodontomys, 37, 386, voice, 263
fulvescens intermedius, Okla., 235
fulvescens laceyi, Okla., 238
humulis humulis, hab., 323
humulis virginianus, Va., 543, 544
megalotis, Calif., breeding season, 489
montanus griseus, Okla., 238, Mo., 417
sumichrasti verterus, Michoacan, distr., ecol., 121
Reproduction:
Blarina, 95
Cervus, 124
Giraffa, 427
Helarctos, 427
Hippopotamus, 427
Lemmus, 493
Lynx, 77

Microtus, 483
Mirounga, 114
Odocoileus, 426
Phascolarctos, 396
Sorex, 95
Ursus, 427
restrictus, see Sylvilagus
Reuther, Ronald T.:
Breeding notes on mammals in captivity, 427
Revision, Myotis, 372
rexroadensis, see Citellus
Rhogeesa parvula, Mexico, 537
Rhynchotragus, dent., 551
Rice, Dale W.:
(see Kenyon, Karl W.)
richardsoni, see Citellus, Dipodomys
Ringtail, 274
risorius, see Myotis
rixosa, see Mustela
Robinette, W. Leslie, Jay S. Gashwiler and Owen W. Morris:
Notes on cougar productivity and life history, 204
Robinette, W. Leslie:
(see Gashwiler, Jay S.)
Robinson, Weldon B.:
Population changes of carnivores in some coyote-control areas, 510
Rodeck, Hugo G.:
Another spotted bat from New Mexico, 401
Roest, Aryan I.:
Partially albino badger from California, 275
Rolling mechanism, hedgehogs, 365
rosalia, see Leontocebus
rosmarus, see Odobenus
Ross, Anthony:
Notes on food habits of bats, 66
rotundus, see Desmodus
rufa, see Aplodontia
Ruffer, David G.:
Effect of flooding on a population of mice, 494
rufiventer, see Sciurus
rufus, see Lynx
rutilus, see Clethrionomys

sanborni, see Leptonycteris
San Luis Potosi, Peromyscus, 10
saturatus, see Glaucomys
saxicola, see Peromyscus
Scalopus aquaticus, Colo., 172, Mich., pop., 25, Penn., distr., 117
aquaticus intermedius, Okla., 236
aquaticus machrinoides, Nebr., distr., 92
aquaticus machrinus, 117
Schramm, Peter:
Copulation and gestation in the pocket gopher, 167
Sciurus, Colo., 101
carolinensis, Nebr., distr., 92
niger, Colo., pred., 101, Penn., 117
niger rufiventer, Okla., 237
poliopus senex, Michoacan, distr., ecol., 121
Seal:
elephant, 549
fur, 218, 224
harbor, 273, 425
Sea lion:
California, 273, 549
Steller, 218, 223
Sealander, John A.:
Hematological values in deer mice in relation to botfly infection, 57
Seidel, D. R.:
Homing in the eastern chipmunk, 256
Selsor, C. Jackson:
(see Stott, Ken, Jr.)
seminolus, see Lasiurus
senex, see Sciurus
senicula, see Mormoops
septentrionalis, see Myotis
Sharma, H. L.:
(see Gupta, B. B.)
Sheep, mountain, 558
Short, Henry L.:
Age at sexual maturity of Mexican free-tailed bats, 533
Fall breeding activity of a young shrew, 95
Food habits of a captive least weasel, 273
Shrew:
dwarf, 399
masked, 177
Merriam, 399
short-tailed, 177
southeastern, 252
wandering, 399, 455
Sibbaldus musculus, abnorm., swimming, 419
sieboldi, see Eubalaena

Sigmodon, Ga., 106, N. Mex., pop., 14
hispidus, 13, Ga., behav., 106, Tenn., oil disposal effect, 555, tracked, 469
hispidus komareki, Tenn., mort., 265
hispidus texianus, Okla., 238, 337, distr., 267
melanotis, Michoacan, distr., 122
minimus, 13
silvicola, see Phenacomys
Sinaloa, local list, 120
sinuous, see Sorex
sitkensis, see Odocoileus, Peromyscus
Skunk, 428, 510, 515
hog-nosed, 421
striped, 174
Slaughter, Bob H.:
A new coyote in the late Pleistocene of Texas, 503
Sloan, Robert E.:
(see Sowls, Lyle K.)
Sloth, fossil, 545
Smilodontopsis mooreheadi, 277
Smith, Vearl R.:
(see Sowls, Lyle K.)
Snyder, Robert L., David E. Davis and John J. Christian:
Seasonal changes in the weights of woodchucks, 297
sodalis, see Myotis
Solomon Islands, Pteropus, 252
Sonora, Natalus, 403
sonoriensis, see Eumops, Peromyscus
Sorex, Ariz., 96, as fd., 516, 517, 518, 520, Ohio, 96
araneus, reprod., 95
cinereus, Colo., 415, Mich., 26, reprod., 95, Minn., 177
cinereus cinereus, Quebec, 282
cinereus ohionensis, Ohio, albino, 95
longirostris, Mo., 527, Miss., 252
merriami, N. Mex., 399
nanus, Ariz., distr., 96, N. Mex., 399
oreopolus ventralis, Oaxaca, distr., ecol., 120
ornatus, 95
palustris, dent. abnorm., Wyo., 527, illus., 123, 528
palustris albibarbus, Quebec, 282
palustris navigator, Utah, distr., 123
sinuous, 95
vagrans, N. Mex., 399, Utah, distr., 122, Calif., 455
soricina, see Glossophaga
South Carolina, Phoca, 425
South Dakota, Perognathus, 103
South Pacific, Dasypterus, 530
Sowls, Lyle K.:
Gestation period of the collared peccary, 425
Sowls, Lyle K., Vearl R. Smith, Robert Jenness, Robert E. Sloan and Edna Regehr:
Chemical composition and physical properties of the milk of the collared peccary, 245
Spalax leucodon, Greece, Turkey, hab., fd., 359
spectabilis, see Dipodomys
Spilogale putorius, 276, 422, Ill., 119
putorius leucoparia, N. Mex., gest., 421
spilosoma, see Citellus
spilotus, see Perognathus
Spleen, Peromyscus, 53
Squirrel, 254
California ground, 257
flying, 237
fox, 237
golden-mantled ground, 173, 258
ground, 202
red, 112, 194, 240
Richardson's ground, 173
spotted ground, 171, 173, 237
13-lined ground, 173, 237
Uinta ground, 423
Stafford, Roger:
(see Handley, Charles O., Jr.)
Stains, Howard J., James Ozment and Arthur Lippoldt:
An electric fence enclosure for small mammals, 391
Stearns, E. I.:
(see Van Deusen, Hobart M.)
Stewart, Paul A. and Norman C. Negus:
Recent record of wolf in Ohio, 420
Stomach contents:
Antrozous, 66
Eumops, 66
Tadarida, 66
Stott, Ken, Jr., and C. Jackson Selsor:
Color variation in Bornean gray gibbons, 99
stramineus, see Natalus
striatus, see Tamias
Struhsaker, Thomas T..

Morphological factors regulating flight in bats, 152
Sturnira lilium, Mex., 537
subflavus, see Pipistrellus
subulatus, see Myotis
suilla, see Murina
suillus, see Harpiocephalus
sumichrasti, see Reithrodontomys
Swimming:
Balaena, 419
Didelphis, 428
Eschrichtius, 419
Eubalaena, 419
Marmota, 428
Megaptera, 419
Mephitis, 428
Microtus, 39
Sibbaldus, 419
Tamias, 428
sylvaticus, see Apodemus
Sylvilagus, Ind., 99
aquaticus, Ind., distr., 99
auduboni, Colo., 173, rec., 513, 514, Utah, distr., 123
auduboni neomexicanus, Okla., 237
bachmani, long., 99
brasiliensis, 408
cunicularis, Mex., foss., 408
floridanus, long., 99, 109, 116
floridanus alacer, Ala., erythrism, 255
floridanus connectens, 408
floridanus llanensis, Okla., 237
floridanus mallurus, N. Car., reprod., 254, Ga., angora, 255, albino, 541
floridanus mearnsi, 254, Nebr., distr., 92, albino, Ill., 541
floridanus orizabae, 408
floridanus restrictus, Michoacan, distr., 122
nuttalli grangeri, Utah, distr., 123
transitionalis, albino, 541
Symbos cavifrons, Nebr., tax., 114
convexifrons, Nebr., foss., tax., 114
Synaptomys, 188
borealis, Manitoba, 194
cooperi, Mich., 26, Quebec, 282

Taber, Richard D.:
(Review of) Bourliere and Verschuren, Introduction a l'ecologie des ongules du Parc National Albert, 126
Tachyoryctes, 359
Tadarida, Ariz., 67
brasiliensis, Ariz., 64, flight, 153, N. Mex., 538, stom. cont., 66
brasiliensis mexicana, Kans., 282, Ore., 404, gen., Tex., 533
femorosacca, hab., 405
molossa, Ariz., 64, Colo., N. Mex., Tex., 404, Tex., 253
tajacu, see Pecari
talpoides, see Thomomys
Tamaulipas:
Peromyscus, 10
Plecotus, 97
Tamias striatus, terr., 30, Md., swimming, 428
striatus griseus, distr., Nebr., 92
striatus lysteri, N. Y., homing, 256
striatus quebecensis, Quebec, 282
Tamiasciurus, as fd., 516
douglasi, 537
fremonti neomexicanus, N. Mex., tax., 321
hudsonicus, food, 240, Man., 194, Mont., 112, N. Mex., distr., tax., 313
hudsonicus fremonti, desc., 313
hudsonicus grahamensis, N. Mex., distr., desc., 313
hudsonicus lychnuchus, N. Mex., distr., tax., 313
hudsonicus mogolonensis, N. Mex., distr., tax., 313
hudsonicus ungavensis, Quebec, 282
tarandus, see Rangifer
Tasmania, Mirounga, 114
Taxidea taxus, Calif., albino, 275, N. Mex., Colo., Wyo., 510, Utah, pred., burrows, 423, Wyo., hab., 276
Taxonomy:
Symbos, 114
Tamiasciurus, 313
taxus, see Taxidea
teliotis, see Lasiurus
Tennessee:
Erethizon, 545
Martes, 544
Megalonyx, 545
Sigmodon, 265
terrestris, see Arvicola
tetralophodon, see Plecotus
Texas:
Canis, 503, 506
Dipodomys, 337

Eumops, 404
Lasiurus, 98
Mormoops, 404
Mustela, 273
Peromyscus, 9, 494
Tadarida, 253, 404, 533
texensis, see Canis, Citellus, Mustela, Peromyscus
texianus, see Sigmodon
thamnos, see Canis
thibetanus, see Ursus
Thomomys, 386, as fd., 516, trapping, 543
bottae, breeding, 167, Colo., burrows, 171, Calif., hab., 542
bottae bottae, Calif., pop., 258
bottae mewa, 260
monticola, Calif., hab., 542
talpoides, Colo., burrows, 171, Mont., hab., 542
Thrace:
Apodemus, 105
Arvicola, 105
Thylacine, 396
Thylacinus cynocephalus, breeding season, 396
thysanodes, see Myotis
Tlaxcala, Peromyscus, 12
townsendi, see Citellus, Lepus, Plecotus
toxopei, see Murina
toxopeusi, see Murina
tragocamelus, see Boselaphus
transitionalis, see Sylvilagus
Trapping:
Cratogeomys, 543
Geomys, 543
Microtus, 386
Perognathus, 386
Peromyscus, 386, 496
Reithrodontomys, 386
Thomomys, 386, 543
Trapping methods, 386
tridecemlineatus, see Citellus
tropicalis, see Monachus
truei, see Peromyscus
Turkey, Spalax, 359
turpis, see Artibeus
Tursiops, 73
Type locality, Citellus rexroadensis, 477
Type specimen, Bison, 553

Ulmer, Frederick A., Jr.:
Gestation period of the lion marmoset, 253
underwoodi, see Eumops
ungava, see Phenacomys
ungavensis, see Tamiasciurus
Upper Pliocene:
Citellus, 477
Zalophus, 548
Urocyon cinereoargenteus, hab., 424, distr., Nebr., 93, Kans., 283, Minn., 270, Penn., 117
cinereoargenteus floridanus, long., anat., Fla., 109
ursinus, see Callorhinus
Ursus americanus, haematol., physiol., 198, Mont., 112, Penn., 117
horribilis, 557
thibetanus japonicus, reprod., cap., 427
Utah:
Dipodomys, 337
local list, 122
Lynx, 76, 77
Taxidea, 423
utahensis, see Zapus

vagrans, see Sorex
Vancouver Island, Odocoileus, 522
Van Deusen, Hobart M.:
New Guinea record of the tube-nosed insectivorous bat, Murina, 531
Yellow bat collected over South Atlantic, 530
Van Deusen, Hobart M. and E. I. Stearns:
Source of color in the fur of the green ring-tailed possum, 149
Van Gelder, Richard G. and Charles A. McLauglin:
An unusual incisor in Mephitis mephitis, 422
Vaughan, Terry A.:
Cranial asymmetry in the pocket gopher, 412
Vertebrates inhabiting pocket gopher burrows in Colorado, 171
Vaughan, Terry A. and Richard M. Hansen:
Activity rhythm of the plains pocket gopher, 541
Velich, Ralph:
Notes on mammals from Nebraska and southwestern Iowa, 92
velifer, see Myotis
velox, see Vulpes
ventralis, see Sorex
Verme, Louis J.:

Late breeding in northern Michigan deer, 426
Verts, B. J.:
A convenient method of carrying and dispensing baits, 283
Vesperimus difficilis, 3
nasutus, 3
Virginia, Reithrodontomys, 543
virginiana, see Didelphis
virginianus, see Odocoileus, Reithrodontomys
vitulina, see Phoca
Voice:
Eumops, 404
Myotis, 400
Onychomys, 263
Spalax, 359
volans, see Glaucomys, Myotis
Vole:
field, 193, 194
heather, 181
meadow, 173, 483
montane, 173
phenacomys, 181
prairie, 173
red-backed, 193, 194, 240, 263
Vulpes, 116
fulva, 513, Kans., 283, Minn., 179
macrotis, Calif., behav., 109
velox, Colo., N. Mex., Wyo., 510, 514, 557

Walrus, Pacific, 224
Washington:
Citellus, 257
Eschrichtius, 108
Oreamnos, 280
Waters, Joseph H.:
Clethrionomys and Peromyscus in southeastern Massachusetts, 263
Waters, Joseph H. and Clayton E. Ray:
Former range of the sea mink, 380
Watson, George E., 3rd:
Behavioral and ecological notes on Spalax leucodon, 359
Wauer, Roland H.:
Peculiar actions of coyote and kit fox, 109
Weasel:
least, 273
long-tailed, 174, 276
short-tailed, 179
Weidenbacher, George H.:
(see Wilber, C. G.)
Weight:
Eptesicus, 529
Gulo, 546
Marmota, 297
West Indies, Rattus, 344
West Virginia:
Felis, 277
Myotis, 530
Plecotus, 402
Whale:
beaked, 71
blue, 419
gray, 108, 419
humpback, 419
killer, 418
pigmy sperm, 269
sperm, 73
Wiegert, Richard G.:
Nest construction and oxygen consumption of Condylura, 528
Wilber, Charles G. and George H. Weidenbacher:
Swimming capacity of some wild mammals, 428
Wilke, Ford and Clifford H. Fiscus:
Gray whale observations, 108
Wilks, B. J. and H. E. Laughlin:
Roadrunner preys on a bat, 98
Wimsatt, William A. and Anthony Guerriere:
Care and maintenance of the common vampire in captivity, 449
Winter activity, Peromyscus, 501
Wisconsin:
Canis, 508
Gulo, 546
Wolf, 420, 557, 560
Wolverine, 546
Woodchuck, 200, 255, 297, 428
Wright, Bruce S.:
The latest specimen of the eastern puma, 278
Wyoming:
Bassariscus, 275
Canis, 510
Euderma, 401
Lynx, 510, 514
Marmota, 100
Martes, 276, 516
Mephitis, 510
Mustela, 276
Procyon, 510
Sorex, 527

Taxidea, 276, 510
Vulpes, 510

Youatt, William G.:
(see Erickson, Albert W.)
Young:
Condylura, 528
Eumops, 404
Myotis, 400
yumanensis, see Myotis

Zalophus, Pleistocene, Mexico, 547, New Zealand, comp., 548, Upper Pliocene, Australia, 548
californianus, Calif., 273, distr., 548, comp., 549
Zapus hudsonius, Mich., 26
hudsonius canadensis, Quebec, 282
princeps, Colo., 415
princeps utahensis, Utah, distr., 124
zibethicus, see Ondatra
Ziegler, Alan C.:
Occurrence of cs clitoridus in Microtus, 101
Ziphius cavirostris, Alaska, anat., dent., stranding, 71